


MDS

mds-int.net

STANDARD APRON FEEDERS

<http://www.mds-int.net>




Used for feeding crushers and screeners. Our robust and versatile apron feeders have many applications



FEATURES / BENEFITS

- Our range of standard apron feeders are ideal for quarry/aggregate/recycling applications.
- They can be used flat or on an incline of upto 15°
- Hoppers can be provided upon request
- Electric and hydraulic drive available

MODEL NUMBER	SIZE (W X L) mm (in)	MAX LUMP SIZE mm (in)	CAPACITY (TPH)
AF10-4	1000x4000 (39"x157")	500 (20")	400
AF10-6	1000x6000 (39"x236")	500 (20")	400
AF12-4	1200x4000 (47"x157")	600 (24")	500
AF12-6	1200x6000 (47"x236")	600 (24")	500

 /MDSInternational
 /MDSInternational
 /MDS.International

MDS-INT
Drummond
Carrickmacross
Co. Monaghan, IRELAND

TEL: +353 42 966 7899
EMAIL: info@mds-int.net
WEB: www.mds-int.net


MDS

mds-int.net

HEAVY DUTY APRON FEEDERS

<http://www.mds-int.net>




Used in the mining industry, this mega machine can withstand the toughest tasks. It can start up under full load and can be loaded by large dump trucks.



FEATURES / BENEFITS

- Our range of heavy duty apron feeders are ideal for mining/ore and coal applications.
- Extremely robust and heavy construction
- They can be used flat or on an incline
- Hardox or manganese pans available
- Can start under full load







MODEL NUMBER	SIZE (W X L) mm (in)	MAX LUMP SIZE mm (in)	CAPACITY (TPH)
HDAF16-6	1600x6000 (63"x236")	800 (32")	1500
HDAF16-8	1600x8000 (63"x315")	800 (32")	1500
HDAF20-6	2000x6000 (79"x236")	1000 (40")	2000
HDAF20-8	2000x8000 (79"x315")	1000 (40")	2000

 /MDSInternational
 /MDSInternational
 /MDS.International

MDS-INT
Drummond
Carrickmacross
Co. Monaghan, IRELAND

TEL: +353 42 966 7899
EMAIL: info@mds-int.net
WEB: www.mds-int.net

MDS TROMMEL RANGE

MODEL	Tons per Hour	Drum Diameter	Drum Length	Number of Outputs	Screen Openings	Hopper Capacity	Feed Mechanism	Engine and Controls
MDS M515 TROMMEL	Mobile track machine for use with primary blast, dirty material or rip rap							
	350 to 500 tons	1.5 m (4 ft 11")	5 m (16 ft 5")	3 off	25 mm to 460 mm (1" to 18")	30 tons	Hydraulic Push Feeder	Cat 4.4 / Electronic Control System
MDS M615 STATIC TROMMEL	Semi mobile machine which can be moved from site to site and can be loaded by an excavator or dump truck							
	350 to 500 tons	1.5 m (4 ft 11")	6 m (19 ft 8")	4 off	25 mm to 500 mm (1" to 20")	30 tons	Hydraulic Push Feeder	Cat 4.4 / Electronic Control System
MDS M820 TROMMEL	A large heavy duty static rock trommel ideal for cleaning dirty rock or screening blasted material							
	750 tons	2 m (6 ft 7")	8 m (26 ft 3")	3 or 4 off	25 mm to 600 mm (1" to 24")	70 tons	Hydraulic Push Feeder	CAT 6.6 / Electronic Control System
MDS M825 TROMMEL	A super sized heavy duty static trommel for maximum output. It can be set up on concrete walls or a metal chutes structure							
	1000 tons	2.5 m (8 ft 2")	8 m (26 ft 3")	3 off	70 mm to 600 mm (3" to 24")	100 tons	Hydraulic Push Feeder	Cat 6.6 / Electronic Control System
MDS M520R TROMMEL	A static trommel ideal for compost or light recycling							
	15 tons	2 m (6 ft 7")	5 m (16 ft 5")	2 off	5 mm to 50 mm (0.2" to 2")	X	X	2 off 3 kW Motors (4 HP)
MDS M820R TROMMEL	A tough static machine built for recycling concrete and demolition or any heavy duty recycling							
	50 tons	2 m (6 ft 7")	8 m (26 ft 3")	2 or 3 off	10 mm to 250 mm (0.4" to 10")	X	X	2 off 15 kW Motors (20 HP)
MDS APRON FEEDERS	Manufactured to your requirements							

QUARRY FEEDER



MINING FEEDER

